Author Index

Bruns, V., see Burda, H. (39) 225
Burda, H., Bruns, V. and Nevo, E.
Middle ear and cochlear receptors in the subterranean mole-rat, *Spalax ehrenbergi* (39) 225

Clopton, B.M., see Wiler, J.A. (39) 251

De Ribaupierre, F., see Rodrigues-Dagaeff, C. (39) 103
De Ribaupierre, F., see Rouiller, E.M. (39) 127
De Ribaupierre, Y., see Rodrigues-Dagaeff, C. (39) 103
De Ribaupierre, Y., see Rouiller, E.M. (39) 127
Dunia, R. and Narins, P.M.
Temporal integration in an anuran auditory nerve (39) 287

Economou, T.S., see Santi, P.A. (39) 91

Furcht, L.T., see Santi, P.A. (39) 91

García-Austt, E., see Velluti, R. (39) 203
Green, D.M., see Richards, V.M. (39) 27
Gummer, A.W., Smolders, J.W.T. and Klinke, R.
Mechanics of a single-ossicle ear: I. The extra-stapedius of the pigeon (39) 1
Gummer, A.W., Smolders, J.W.T. and Klinke, R.
Mechanics of a single-ossicle ear: II. The columella footplate of the pigeon (39) 15
Gummer, A.W., see Hill, K.G. (39) 75

Henry, K.R., see Lewis, E.R. (39) 209
Hill, K.G., Mo, J. and Stange, G.
Excitation and suppression of primary auditory fibres in the pigeon (39) 37
Hill, K.G., Mo, J. and Stange, G.
Induced suppression in spike responses to tone-on-noise stimuli in the auditory nerve of the pigeon (39) 49
Hill, K.G., Stange, G. and Mo, J.
Temporal synchronization in the primary auditory response in the pigeon (39) 63
Hill, K.G., Stange, G., Gummer, A.W. and Mo, J.
A model proposing synaptic and extra-synaptic influences on the responses of cochlear nerve fibres (39) 75

Ikeda, K. and Morizono, T.
Electrochemical profiles for monovalent ions in the stria vascularis: Cellular model of ion transport mechanisms (39) 279

Johnstone, B.M., see Patuzzi, R.B. (39) 177
Johnstone, B.M., see Patuzzi, R.B. (39) 189
Johnstone, B.M., see Rajan, R. (39) 263

Kavanagh, G.L., see Kelly, J.B. (39) 231
Kelly, J.B., Kavanagh, G.L. and Picton, T.W.
Brainstem auditory evoked response in the ferret (*Mustela putorius*) (39) 231
Khanna, S.M. and Teich, M.C.
Spectral characteristics of the responses of primary auditory-nerve fibers to amplitude-modulated signals (39) 143
Khanna, S.M. and Teich, M.C.
Spectral characteristics of the responses of primary auditory-nerve fibers to frequency-modulated signals (39) 159
Klinke, R., see Gummer, A.W. (39) 1
Klinke, R., see Gummer, A.W. (39) 15
Konishi, T., see Muratsuka, Y. (39) 241

Larson, J.T., see Santi, P.A. (39) 91
Lewis, E.R. and Henry, K.R.
Cochlear nerve responses to waveform singularities and envelope corners (39) 209

Mikhail, M.A., see Wiler, J.A. (39) 251
Mo, J., see Hill, K.G. (39) 37
Mo, J., see Hill, K.G. (39) 49
Mo, J., see Hill, K.G. (39) 63
Mo, J., see Hill, K.G. (39) 75
Morizono, T., see Ikeda, K. (39) 279
Muratsuka, Y., Ueda, H. and Konishi, T.
Effects of sodium bromate on ionic concentrations and osmolalities of the cochlear fluids in guinea pigs (39) 241

Narins, P.M., see Dunia, R. (39) 287
Nevo, E., see Burda, H. (39) 225

Onsan, Z.A., see Richards, V.M. (39) 27

Patuzzi, R.B., Yates, G.K. and Johnstone, B.M.
Changes in cochlear microphonic and neural sensitivity produced by acoustic trauma (39) 189
Patuzzi, R.B., Yates, G.K. and Johnstone, B.M.
The origin of the low-frequency microphonic in the first cochlear turn of guinea-pig (39) 177
Pedemonte, M., see Velluti, R. (39) 203
Picton, T.W., see Kelly, J.B. (39) 231

Rajan, R. and Johnstone, B.M.
Contralateral cochlear destruction mediates protection from monaural loud sound exposures through the crossed olivocochlear bundle (39) 263
Rajan, R.
Tonic activity of the crossed olivocochlear bundle in guinea pigs with idiopathic losses in auditory sensitivity (39) 299
Richards, V.M., Onsan, Z.A. and Green, D.M.
Auditory profile analysis: Potential pitch cues (39) 27
Rodrigues-Dagaeff, C., Simm, G., De Ribaupierre, Y., Villa, A., De Ribaupierre, F. and Rouiller, E.M.
Functional organization of the ventral division of the medial geniculate body of the cat: Evidence for a rostro-caudal gradient of response properties and cortical projections (39) 103
Rodrigues-Dagaeff, C., see Rouiller, E.M. (39) 127
Rouiller, E.M., Rodrigues-Dagaeff, C., Simm, G., De Ribaupierre, Y., Villa, A. and De Ribaupierre, F.
Functional organization of the medial division of the medial geniculate body of the cat: Tonotopic organization, spatial distribution of response properties and cortical connections (39) 127
Rouiller, E.M., see Rodrigues-Dagaeff, C. (39) 103

Santi, P.A., Larson, J.T., Furcht, L.T. and Economou, T.S.
Immunohistochemical localization of fibronectin in the chinchilla cochlea (39) 91
Simm, G., see Rodrigues-Dagaeff, C. (39) 103
Simm, G., see Rouiller, E.M. (39) 127
Smolders, J.W.T., see Gummer, A.W. (39) 1
Smolders, J.W.T., see Gummer, A.W. (39) 15
Stange, G., see Hill, K.G. (39) 37
Stange, G., see Hill, K.G. (39) 49
Stange, G., see Hill, K.G. (39) 63
Stange, G., see Hill, K.G. (39) 75

Teich, M.C., see Khanna, S.M. (39) 143
Teich, M.C., see Khanna, S.M. (39) 159

Ueda, H., see Muratsuka, Y. (39) 241

Velluti, R., Pedemonte, M. and García-Austt, E.
Correlative changes of auditory nerve and microphonic potentials throughout sleep (39) 203
Villa, A., see Rodrigues-Dagaeff, C. (39) 103
Villa, A., see Rouiller, E.M. (39) 127

Wiler, J.A., Clopton, B.M. and Mikhail, M.A.
Effect of electrical pulse shape on AVCN unit responses to cochlear stimulation (39) 251

Yates, G.K., see Patuzzi, R.B. (39) 177
Yates, G.K., see Patuzzi, R.B. (39) 189

Subject Index

Acoustic trauma
Cochlear microphonic; Outer hair cell; Noise induced hearing loss (Patuzzi, R.B. (39) 189)

Amphibian
Auditory system; Hearing; Frog (Dunia, R. (39) 287)

Amplitude modulation
Auditory-nerve fiber; Neural coding; Spectral characteristics (Khanna, S.M. (39) 143)

Auditory brainstem
Brainstem auditory evoked response; Binaural interaction; Ferret (Kelly, J.B. (39) 231)

Auditory fibres
Noise suppression (Hill, K.G. (39) 49)

Auditory nerve action potential
Cochlear microphonics; Sleep; Paradoxical sleep; Slow wave sleep; Olivo-cochlear bundle; Efferent control (Velluti, R. (39) 203)

Auditory-nerve fiber
Amplitude modulation; Neural coding; Spectral characteristics (Khanna, S.M. (39) 143)

Frequency modulation; Neural coding; Spectral characteristics (Khanna, S.M. (39) 159)

Auditory nerve fibres
Suppression; Excitation; Pigeon (Hill, K.G. (39) 37)

Cochlear model (Hill, K.G. (39) 75)

Auditory phase locking
Temporal synchronization; Pigeon auditory nerve (Hill, K.G. (39) 63)

Auditory system
Hearing; Amphibian; Frog (Dunia, R. (39) 287)

Auditory thalamus
Cat; Single unit recordings; Functional organization; Thalamo-cortical projections (Rouiller, E.M. (39) 127)

Basilar membrane
Pigeon; Single-ossicle; Columella footplate; Middle ear; Mössbauer technique (Gummer, A.W. (39) 15)

Fibronectin; Cochlea; Immunohistochemistry; TEM; Chinchilla (Santi, P.A. (39) 91)

Binaural interaction
Auditory brainstem; Brainstem auditory evoked response; Ferret (Kelly, J.B. (39) 231)

Bird
Pigeon; Single-ossicle; Extra-stapedius; Tympanic membrane; Columella footplate; Middle ear; Mössbauer technique (Gummer, A.W. (39) 1)

Brainstem auditory evoked response
Auditory brainstem; Binaural interaction; Ferret (Kelly, J.B. (39) 231)

Cat
Medial geniculate body; Single unit recordings; Functional organization; Thalamo-cortical projections (Rodrigues-Dagaeff, C. (39) 103)

Auditory thalamus; Single unit recordings; Functional organization; Thalamo-cortical projections (Rouiller, E.M. (39) 127)

Chinchilla
Fibronectin; Basilar membrane; Cochlea; Immunohistochemistry; TEM (Santi, P.A. (39) 91)

COCB
Cochlear destruction; Protection; TTS; Crossed cochlear effects (Rajan, R. (39) 263)

COCB transection
Threshold losses; Tonic COCB activity; Guinea pig (Rajan, R. (39) 299)

Cochlea
Fibronectin; Basilar membrane; Immunohistochemistry; TEM; Chinchilla (Santi, P.A. (39) 91)

Cochlear destruction
Protection; TTS; COCB; Crossed cochlear effects (Rajan, R. (39) 263)

Cochlear microphonic
Low frequency; Outer hair cell (Patuzzi, R.B. (39) 177)

Acoustic trauma; Outer hair cell; Noise induced hearing loss (Patuzzi, R.B. (39) 189)

Cochlear microphonics
Auditory nerve action potential; Sleep; Paradoxical sleep; Slow wave sleep; Olivo-cochlear bundle; Efferent control (Velluti, R. (39) 203)

Cochlear model
Auditory nerve fibres (Hill, K.G. (39) 75)

Cochlear nucleus
Electrical stimulation; Cochlear prosthesis; Single unit; Guinea pig (Wiler, J.A. (39) 251)

Cochlear potentials
Sodium bromate; Electrolytes; Osmolality; Endolymph-perilymph barrier (Muratsuka, Y. (39) 241)

Cochlear prosthesis
Cochlear nucleus; Electrical stimulation; Single unit; Guinea pig (Wiler, J.A. (39) 251)

Cochlear receptors
Subterranean mammal; Middle ear (Burda, H. (39) 225)

Columella footplate
Pigeon; Bird; Single-ossicle; Extra-stapedius; Tympanic membrane; Middle ear; Mössbauer technique (Gummer, A.W. (39) 1)

Pigeon; Single-ossicle; Middle ear; Basilar membrane; Mössbauer technique (Gummer, A.W. (39) 15)

Compound action potentials
Onset response; Offset response; Masking tuning curves; Gerbil auditory nerve (Lewis, E.R. (39) 209)

Crossed cochlear effects
Cochlear destruction; Protection; TTS; COCB (Rajan, R. (39) 263)

Efferent control
Cochlear microphonics; Auditory nerve action potential; Sleep; Paradoxical sleep; Slow wave sleep; Olivo-cochlear bundle (Velluti, R. (39) 203)

Electrical stimulation
Cochlear nucleus; Cochlear prosthesis; Single unit; Guinea pig (Wiler, J.A. (39) 251)

Electrochemical potential gradient
Strial cells; Intracellular ion concentration; Na-K pump; Na-K-2Cl cotransport (Ikeda, K. (39) 279)

Electrolytes
Sodium bromate; Cochlear potentials; Osmolality; Endolymph-perilymph barrier (Muratsuka, Y. (39) 241)

Endolymph-perilymph barrier
Sodium bromate; Cochlear potentials; Electrolytes; Osmolality (Muratsuka, Y. (39) 241)

EWAIF
Profile analysis; Pitch (Richards, V.M. (39) 27)

Excitation
Auditory nerve fibres; Suppression; Pigeon (Hill, K.G. (39) 37)

Extra-stapedius
Pigeon; Bird; Single-ossicle; Tympanic membrane; Columella footplate; Middle ear; Mössbauer technique (Gummer, A.W. (39) 1)

Ferret
Auditory brainstem; Brainstem auditory evoked response; Binaural interaction (Kelly, J.B. (39) 231)

Fibronectin
Basilar membrane; Cochlea; Immunohistochemistry; TEM; Chinchilla (Santi, P.A. (39) 91)

Frequency modulation
Auditory-nerve fiber; Neural coding; Spectral characteristics (Khanna, S.M. (39) 159)

Frog
Auditory system; Hearing; Amphibian (Dunia, R. (39) 287)

Functional organization
Cat; Medial geniculate body; Single unit recordings; Thalamocortical projections (Rodrigues-Dagaeff, C. (39) 103)

Cat; Auditory thalamus; Single unit recordings; Thalamocortical projections (Rouiller, E.M. (39) 127)

Gerbil auditory nerve
Onset response; Offset response; Compound action potentials; Masking tuning curves (Lewis, E.R. (39) 209)

Guinea pig
Cochlear nucleus; Electrical stimulation; Cochlear prosthesis; Single unit (Wiler, J.A. (39) 251)

Threshold losses; COCB transection; Tonic COCB activity (Rajan, R. (39) 299)

Hearing
Auditory system; Amphibian; Frog (Dunia, R. (39) 287)

Immunohistochemistry
Fibronectin; Basilar membrane; Cochlea; TEM; Chinchilla (Santi, P.A. (39) 91)

Intracellular ion concentration
Strial cells; Na-K pump; Na-K-2Cl cotransport; Electrochemical potential gradient (Ikeda, K. (39) 279)

Low frequency
Cochlear microphonic; Outer hair cell (Patuzzi, R.B. (39) 177)

Masking tuning curves
Onset response; Offset response; Compound action potentials; Gerbil auditory nerve (Lewis, E.R. (39) 209)

Medial geniculate body
Cat; Single unit recordings; Functional organization; Thalamo-cortical projections (Rodrigues-Dagaeff, C. (39) 103)

Middle ear
Pigeon; Bird; Single-ossicle; Extra-stapedius; Tympanic membrane; Columella footplate; Mössbauer technique (Gummer, A.W. (39) 1)

Pigeon; Single-ossicle; Columella footplate; Basilar membrane; Mössbauer technique (Gummer, A.W. (39) 15)

Subterranean mammal; Cochlear receptors (Burda, H. (39) 225)

Mössbauer technique
Pigeon; Bird; Single-ossicle; Extra-stapedius; Tympanic membrane; Columella footplate; Middle ear (Gummer, A.W. (39) 1)

Pigeon; Single-ossicle; Columella footplate; Middle ear; Basilar membrane (Gummer, A.W. (39) 15)

Na-K-2Cl cotransport
Strial cells; Intracellular ion concentration; Na-K pump; Electrochemical potential gradient (Ikeda, K. (39) 279)

Na-K pump
Strial cells; Intracellular ion concentration; Na-K-2Cl cotransport; Electrochemical potential gradient (Ikeda, K. (39) 279)

Neural coding
Auditory-nerve fiber; Amplitude modulation; Spectral characteristics (Khanna, S.M. (39) 143)

Auditory-nerve fiber; Frequency modulation; Spectral characteristics (Khanna, S.M. (39) 159)

Noise induced hearing loss
Cochlear microphonic; Acoustic trauma; Outer hair cell (Patuzzi, R.B. (39) 189)

Noise suppression
Auditory fibres (Hill, K.G. (39) 49)

Offset response
Onset response; Compound action potentials; Masking tuning curves; Gerbil auditory nerve (Lewis, E.R. (39) 209)

Olivo-cochlear bundle
Cochlear microphonics; Auditory nerve action potential; Sleep; Paradoxical sleep; Slow wave sleep; Efferent control (Velluti, R. (39) 203)

Onset response
Offset response; Compound action potentials; Masking tuning curves; Gerbil auditory nerve (Lewis, E.R. (39) 209)

Osmolality
Sodium bromate; Cochlear potentials; Electrolytes; Endolymph-perilymph barrier (Muratsuka, Y. (39) 241)

Outer hair cell
Cochlear microphonic; Low frequency (Patuzzi, R.B. (39) 177)

Cochlear microphonic; Acoustic trauma; Noise induced hearing loss (Patuzzi, R.B. (39) 189)

Paradoxical sleep
Cochlear microphonics; Auditory nerve action potential; Sleep; Slow wave sleep; Olivo-cochlear bundle; Efferent control (Velluti, R. (39) 203)

Pigeon
Bird; Single-ossicle; Extra-stapedius; Tympanic membrane; Columella footplate; Middle ear; Mössbauer technique (Gummer, A.W. (39) 1)

Single-ossicle; Columella footplate; Middle ear; Basilar membrane; Mössbauer technique (Gummer, A.W. (39) 15)

Auditory nerve fibres; Suppression; Excitation (Hill, K.G. (39) 37)

Pigeon auditory nerve
Auditory phase locking; Temporal synchronization (Hill, K.G. (39) 63)

Pitch
Profile analysis; EWAIF (Richards, V.M. (39) 27)

Profile analysis
EWAIF; Pitch (Richards, V.M. (39) 27)

Protection
Cochlear destruction; TTS; COCB; Crossed cochlear effects (Rajan, R. (39) 263)

Single-ossicle
Pigeon; Bird; Extra-stapedius; Tympanic membrane; Columella footplate; Middle ear; Mössbauer technique (Gummer, A.W. (39) 1)

Pigeon; Columella footplate; Middle ear; Basilar membrane; Mössbauer technique (Gummer, A.W. (39) 15)

Single unit
Cochlear nucleus; Electrical stimulation; Cochlear prosthesis; Guinea pig (Wiler, J.A. (39) 251)

Single unit recordings
Cat; Medial geniculate body; Functional organization; Thalamo-cortical projections (Rodrigues-Dagaeff, C. (39) 103)

Cat; Auditory thalamus; Functional organization; Thalamo-cortical projections (Rouiller, E.M. (39) 127)

Sleep
Cochlear microphonics; Auditory nerve action potential; Paradoxical sleep; Slow wave sleep; Olivo-cochlear bundle; Efferent control (Velluti, R. (39) 203)

Slow wave sleep
Cochlear microphonics; Auditory nerve action potential; Sleep; Paradoxical sleep; Olivo-cochlear bundle; Efferent control (Velluti, R. (39) 203)

Sodium bromate
Cochlear potentials; Electrolytes; Osmolality; Endolymph-perilymph barrier (Muratsuka, Y. (39) 241)

Spectral characteristics
Auditory-nerve fiber; Amplitude modulation; Neural coding (Khanna, S.M. (39) 143)

Auditory-nerve fiber; Frequency modulation; Neural coding (Khanna, S.M. (39) 159)

Strial cells
Intracellular ion concentration; Na-K pump; Na-K-2Cl cotransport; Electrochemical potential gradient (Ikeda, K. (39) 279)

Subterranean mammal
Middle ear; Cochlear receptors (Burda, H. (39) 225)

Suppression
Auditory nerve fibres; Excitation; Pigeon (Hill, K.G. (39) 37)

TEM
Fibronectin; Basilar membrane; Cochlea; Immunohistochemistry; Chinchilla (Santi, P.A. (39) 91)

Temporal synchronization
Auditory phase locking; Pigeon auditory nerve (Hill, K.G. (39) 63)

Thalamo-cortical projections
Cat; Medial geniculate body; Single unit recordings; Functional organization (Rodrigues-Dagaeff, C. (39) 103)

Cat; Auditory thalamus; Single unit recordings; Functional organization (Rouiller, E.M. (39) 127)

Threshold losses
COCB transection; Tonic COCB activity; Guinea pig (Rajan, R. (39) 299)

Tonic COCB activity
Threshold losses; COCB transection; Guinea pig (Rajan, R. (39) 299)

TTS
Cochlear destruction; Protection; COCB; Crossed cochlear effects (Rajan, R. (39) 263)

Tympanic membrane
Pigeon; Bird; Single-ossicle; Extra-stapedius; Columella footplate; Middle ear; Mössbauer technique (Gummer, A.W. (39) 1)